

## System TOP 3536 SE


Angular glass supports for 10° inclined counter tops

- Easy cleaning of the front panel
- Patented safety function
- Simple cable inlet/guiding
- Made of high-quality stainless steel

### Design

The supports are made entirely of stainless steel, material 1.4301. The surface is matt finished (glass bead blasted). The support is made secure at the base with screws. Easy cost-effective securing option. However, it is only suitable for pressure-proof worktops. The supports are prepared for a cable inlet with duct openings.

The cross-beam has an M5 thread for securing the necessary side panel



The front panel can be rotated for easy cleaning!

### WIHA TOP 3536 SE

| Name of the item            | Art.-No. | Glass shelf  |       | Front panel  |       |
|-----------------------------|----------|--------------|-------|--------------|-------|
|                             |          | Glass length | Angle | Glass length | Angle |
| Support left                | 12450    | +15 mm       | 90°   | -14,5 mm     | 90°   |
| Support right               | 12451    | +15 mm       | 90°   | -14,5 mm     | 90°   |
| Central support - 180°      | 12452    | -1 mm        | 90°   | -14,5 mm     | 90°   |
| Retainer set V, front panel | 12453    |              |       |              |       |
| Retainer set, side panel    | 2407     |              |       |              |       |

The glass length is based on the centre distance (drilling distance) of the supports. Changing the glass length should be considered for each support on a case-by-case basis.

Note: Drill diameter for mounting screw = 10 mm, the mounting hole is to be moved 5 mm forward compared to the centre of the support.

**Tip:**  
Suitable lighting covers are on page 402.

## System TOP 3536 SEM


Angular glass supports for 10° inclined counter tops with mounting plate

- Suitable for granite surfaces
- Easy cleaning of the front panel
- Patented safety function
- Simple cable inlet/guiding
- Made of high-quality stainless steel

### Design

The supports are made entirely of stainless steel, material 1.4301. The surface is matt finished (glass bead blasted). The support is made secure with a mounting plate available as an accessory. The supports are prepared for a cable inlet with duct openings.

The cross-beam has an M5 thread for securing the necessary side panel.



The front panel can be rotated for easy cleaning!

### WIHA TOP 3536 SEM

| Name of the item            | Art.-No. | Glass shelf  |       | Front panel  |       |
|-----------------------------|----------|--------------|-------|--------------|-------|
|                             |          | Glass length | Angle | Glass length | Angle |
| Support left SEM            | 12454    | +15 mm       | 90°   | -14,5 mm     | 90°   |
| Support right SEM           | 12455    | +15 mm       | 90°   | -14,5 mm     | 90°   |
| Central support SEM - 180°  | 12456    | -1 mm        | 90°   | -14,5 mm     | 90°   |
| Mounting plate SE (support) | 12464    |              |       |              |       |
| Retainer set V, front panel | 12453    |              |       |              |       |
| Retainer set, side panel    | 2407     |              |       |              |       |

The glass length is based on the centre distance (drilling distance) of the supports. Changing the glass length should be considered for each support on a case-by-case basis.